

48002274

AFN
acessórios 4x4



Checklist / Manual de Montagem - P.
Choques traseiro c/ engate reboque - Amarok



Checklist / Fitting Instructions - Rear step
bar with trailer hitch - Amarok



Despiezas / Instrucciones de montaje -



0



x

1 x1 47001729 	2 x1 47001689 	3 x1 47001688 	4 x1 47001687 
5 x2 47001233 	6 x2 47000894 	7 x2 46006314 	8 x2 45000069 
9 x6 45000067 Prf. Cb. Sx. M12X35	10 x6 45000066 Fêmea Freitada M12	11 x12 45000042 Anilha M12	12 x22 45000039 Anilha M10
13 x10 45000017 Fêmea Freitada M10	14 x2 45000016 Fêmea Sext. M10	15 x2 45000015 Prf. Cb. Sx. M10x25	16 x10 45000007 Prf.Cb.Sx.M10x30x1,5

Volkswagen VW
Amarok (2010-)



Acessórios: ____ / ____ / ____ Peças/Compostos: ____ / ____ / ____ Artigo: ____ / ____ / ____ Embalagem: ____ / ____ / ____


FITTING INSTRUCTIONS

01




- After removing the OEM Bumper, please insert part number 47001688;

02



- Please finger tight OEM bolts.

03



- Please finger tight OEM bolts.

FITTING INSTRUCTIONS

04



– Please insert part number 47000894 inside the chassis frame.

05



– After fitting part number 47000894, please finger tight the bolts 45000039 / 45000015.

06



– Please do the same operation on the opposite side.


FITTING INSTRUCTIONS

07



- Fit part number 47001687.

08



- Please finger tight the bolts
45000067 / 45000042 / 45000066.

09



- Please insert part number
46006314.

FITTING INSTRUCTIONS

10




- Please finger tight the bolts
45000007 / 45000039 / 45000017.

11



- Please part number 47001729.


12



- Please finger tight the bolts
45000007 / 45000039 / 45000017.

FITTING INSTRUCTIONS

13



– Please finger tight the bolts
45000007 / 45000039 / 45000017.

14



– Make sure you leave enough gap
between the body and the rear
bumper.

– Once all bolts are in place please
give the final tight (use the table
shown in the first page).


15



– Please insert part number
47001233.

FITTING INSTRUCTIONS

16



- Please final tight the bolts.

17

